



Art.Nr. **PL5224**

1m	571.3,18101x	275.99cm
2m	142.8,452.41x	551.97cm
3m	63.48,201.11x	827.96cm
4m	35.71,113.11x	1103.94cm
5m	22.85,72.391x	1379.93cm



- 40W
- AC 220-240V
- 4800Lm
- UGR <23
- Dimension 595 x 595 x 25mm
- 4000K – neutral white
- IP20
- 120°
- 50000h
- Recommended ambient temperature -15° to +50°C
- Warranty 5 years
- Aluminium-white
- Non-dimmable

[www.nedes.eu](http://www.nedes.eu)

<https://nedes.eu/led-panel-backlite-40w/595x595/smd/4000k/wh-pl5224/p-853>



Art.Nr. **PL5224**

1m	571.3,18101x	275.99cm
2m	142.8,452.41x	551.97cm
3m	63.48,201.11x	827.96cm
4m	35.71,113.11x	1103.94cm
5m	22.85,72.391x	1379.93cm



- 40W
- AC 220-240V
- 4800Lm
- UGR <23
- Rozmer 595 x 595 x 25mm
- 4000K – neutrálna biela
- IP20
- 120°
- 50000h
- Doporučená teplota okolia -15° až +50°C
- Záruka 5 rokov
- Hliník-biela
- Nestmievateľné

[www.nedes.sk](http://www.nedes.sk)

<https://nedes.sk/led-panel-backlite-40w/595x595/smd/4000k/wh-pl5224/p853>



Art.Nr. **PL5224**

1m	571.3,18101x	275.99cm
2m	142.8,452.41x	551.97cm
3m	63.48,201.11x	827.96cm
4m	35.71,113.11x	1103.94cm
5m	22.85,72.391x	1379.93cm



- 40W
- AC 220-240V
- 4800Lm
- UGR <23
- Rozměr 595 x 595 x 25mm
- 4000K – neutrální bílá
- IP20
- 120°
- 50000h
- Doporučená teplota okolí -15° až +50°C
- Záruka 5 let
- Hliník-bílá
- Nestmívatelné

[www.nedes.cz](http://www.nedes.cz)

<https://nedes.cz/led-panel-backlite-40w/595x595/smd/4000k/wh-pl5224/p-853>

Art.Nr. **PL5224**

1m	571.3,18101x	275.99cm
2m	142.8,452.41x	551.97cm
3m	63.48,201.11x	827.96cm
4m	35.71,113.11x	1103.94cm
5m	22.85,72.391x	1379.93cm



- 40W
- AC 220-240V
- 4800Lm
- UGR <23
- Méret 595 x 595 x 25mm
- 4000K – természetes fehér
- IP20
- 120°
- 50000h
- Ajánlott környezeti hőmérséklet -15° és +50°C
- 5 év garancia
- Alumínium-fehér
- Dimmelhető – nem



Art.Nr. **PL5224**

1m	571.3,18101x	275.99cm
2m	142.8,452.41x	551.97cm
3m	63.48,201.11x	827.96cm
4m	35.71,113.11x	1103.94cm
5m	22.85,72.391x	1379.93cm



- 40W
- AC 220-240V
- 4800Lm
- UGR <23
- Dimension 595 x 595 x 25mm
- 4800K - Neutralweiß
- IP20
- 120°
- 50000St
- Empfohlene Umgebungstemperatur -15° bis +50°C
- Garanzzeit 5 Jahre
- Aluminium-Weiß
- Nicht dimmbar

[www.nedes.at](http://www.nedes.at)

<https://nedes.at/led-platte-backlite-40w/595x595/smd/4000k/wh-pl5224/p-853>